FIBER MANAGEMENT & ENCLOSURES

Wall-Mount Fiber Enclosure

WALL-MOUNT · SPLICE & TERMINATION

FAMILY **F55 • 5 PART NUMBERS**

SHOWN: CX-FE-WM-24



24	ABS
FIBER CAPACITY	MATERIAL

OVERVIEW

Wall-mount fiber enclosures developed for splicing and terminating fiber at building entrances, floor distribution points and small telecom spaces where rack space is not available.

- Wall-mount splice and termination
- Compact ABS enclosure
- Separated splice and routing sections
- Lockable front door
- For building entry and floor distribution

APPLICATIONS


- Building entrance termination
- Floor and zone distribution points
- Small telecom spaces without racks

STANDARDS & COMPLIANCE

RoHS compliant

Common Specifications

Values shared by all 5 part numbers in this family · variant-specific values on the following page



Outline dimensions (W × H, D)

OUTLINE DIMENSIONS — SHOWN FOR CX-FE-WM-24

GENERAL

Mounting	**Wall**

Ordering Information

5 part numbers · individual datasheets available for every part number

Part number	Description	Capacity	Mounting
CX-FE-WM-12	Wall-Mount Fiber Enclosure, 12 Fiber	12 fibers	Wall
CX-FE-WM-24	Wall-Mount Fiber Enclosure, 24 Fiber	24 fibers	Wall
CX-FE-WM-48	Wall-Mount Fiber Enclosure, 48 Fiber	48 fibers	Wall
CX-FE-WM-96	Wall-Mount Fiber Enclosure, 96 Fiber	96 fibers	Wall
CX-FE-WM-16	Wall-Mount Fiber Enclosure, 16 Fiber	16 fibers	Wall

Variant-Specific Specifications

Values that differ between part numbers

Part number	Material
CX-FE-WM-12	—
CX-FE-WM-24	ABS
CX-FE-WM-48	ABS
CX-FE-WM-96	—
CX-FE-WM-16	ABS

FINAL QUALITY INSPECTION

QUALITY INSPECTED

Inspection item	Requirement
Dimensions & fit	Per drawing
Surface finish & color	No defects
Adapters / accessories	Complete per packing list
Labeling & packing	Per CORNIX label system

Every unit passes final visual, dimensional and accessory inspection before packing.

Request a quote or technical support

Datasheets, test reports and samples available on request

rfq@cornixglobal.com
sales@cornixglobal.com
cornixglobal.com

CORNIX® continuously improves its products; specifications are subject to change without notice. Values are maximum / minimum unless stated otherwise. Illustrations are representative. © 2026 CORNIX LLC. All rights reserved.